

VOLVO V60

11/10 →

VOLVO S60


9/10 →

**VOLVO S60
 CROSSCOUNTRY**

8/15 →




Art.
N21125



C

+

Art. **N20001**



B

+


Art. **N15020 M**



A

ACCIAIO
 Steel

=



Art. **N15025 M**



A

ALLUMINIO
 Aluminium

=



Art. **N15075 M**






A

ALLUMINIO
 Aluminium

=









 +  +  = max: **75kg**
5,5kg



max: **???**kg



Safety Regulations





VOLVO V60

11/10 →












VOLVO S60


9/10 →



**VOLVO S60
CROSSCOUNTRY**

8/15 →



Art. **N21125**









3A	VOLVO V60	11/10 →	30,5 (F = 91,5cm)	27,5 (R = 88,5cm)
3B	VOLVO S60	9/10 →	30,5 (F = 91,5cm)	31 (R = 92cm)
3C	VOLVO S60 CROSSCOUNTRY	8/15 →	30,5 (F = 91,5cm)	31 (R = 92cm)
			X	Y




4




5






6




7







11A





11B





12





13







14





15




16




17






18



19



20



NORDRIVE[®]
TRANSPORT SOLUTIONS

is a registered trade mark of

LAMPA S.p.A.

Via G. Rossa 53/55, 46019 Viadana (MN) ITALY

Tel. +39 0375 820700

UNI EN ISO 9001:2008 Certified Company

www.nordrive.it

www.lampa.it

EVOS