

EVOS

NORDRIVE®

TRANSPORT SOLUTIONS



**MERCEDES
CLASSE A**

09/04→09/12

M 120cm

**MERCEDES
CLASSE B**

05/05→09/11

S 108cm

**MERCEDES
CLASSE R**

02/06→12/13

L 127cm


**MERCEDES
CLASSE R LONG**

02/06→12/13


L 127cm



Art. N21037



Art. N20001



Art. N15019

S

A

QUADRA
ACCIAIO
Steel

108cm



Art. N15020

M

A

QUADRA
ACCIAIO
Steel

120cm





Art. N15021

L

A

QUADRA
ACCIAIO
Steel

127cm



Art. N15024

S

A

ALUMIA
ALLUMINIO
Aluminium

108cm



Art. N15025

M

A

ALUMIA
ALLUMINIO
Aluminium

120cm




Art. N15026

L

A

ALUMIA
ALLUMINIO
Aluminium

127cm




Art. N15074

S

A

HELIO
ALLUMINIO
Aluminium

108cm



Art. N15075

M

A

HELIO
ALLUMINIO
Aluminium

120cm





Art. N15076



L

A




HELIO
ALLUMINIO
Aluminium


127cm






 = max kg. **75**







Art. **N21037**

x1




00PL364A

x1




00PL365A

x2




00PL366A

x4




74GO096A

x4




52PL108A

x4



52PL140A


x2



A

M6x65
60CE6065


x2



B

M6x80
60CE6080


x2



C

M8x60
60TE8060

x2



D


M8x80
60TE8080

x4



E


x4



F

ø6x11
61ED0611


x4



G


61FN0816

x4















H

x1




72FE0001




3	MERCEDES CLASSE A  09/04→09/12	23 (F = 84cm)	13 (R = 74cm)	M 120cm
	MERCEDES CLASSE B  05/05→09/11	22 (F = 83cm)	11 (R = 72cm)	S 108cm
	MERCEDES CLASSE R  02/06→12/13	28,5 (F = 89,5cm)	19 (R = 80cm)	L 127cm
	MERCEDES CLASSE R LONG  02/06→12/13	28,5 (F = 89,5cm)	20,5 (R = 81,5cm)	L 127cm
		X	Y	  
	    			
	    			


4




5



6






7







8




🔧 x1




9



10




11




XXXXA


+




00PL364A





00PL365A




00PL366A




00PL366A




12





②





③



13










14



15_A

MERCEDES
CLASSE A


MERCEDES
CLASSE B



15^B


MERCEDES
CLASSE R

MERCEDES
CLASSE R LONG





M8x80

E
G




3 Nm

MIN




M8x60

E
G





3 Nm





MIN





16




17





18



19



20



EVOS

- (I) Lotto di produzione da comunicare per eventuali ricambi
- (GB) Production lot number to be communicated for any spare parts
- (F) Lot de production à communiquer pour toute pièce de rechange
- (D) Produktionscharge für eventuelle Ersatzteile
- (E) Lote de producción a comunicar por cualquier repuesto

Lot.

NORDRIVE®
TRANSPORT SOLUTIONS

is a registered trade mark of

LAMPA S.p.A.

Via G. Rossa 53/55, 46019 Viadana (MN) ITALY

Tel. +39 0375 820700

UNI EN ISO 9001:2015 Certified Company

www.nordrive.it

www.lampa.it